

2024

**TERRA**

**ORBEA**



# TERRA CARBON

Taglia	XS	S	M	L	XL	XXL
1 - Lunghezza tubo sella (C-T)	405	438	471	504	537	570
2 - Lunghezza tubo orizzontale (EFF)	526	539	558	570	590	603
3 - Lunghezza tubo sterzo	110	131	152	178	199	220
4 - Lunghezza carro posteriore	420	420	420	420	420	420
5 - Lunghezza carro posteriore	278	278	278	280	280	280
6 - Drop movimento centrale	78	78	78	76	76	76
7 - Interasse	1009	1019	1029	1044	1053	1062
8 - Angolo Sterzo	70°	70,5°	71°	71°	71,5°	72°
9 - Angolo tubo sella	74°	74°	73,5°	73,5°	73°	73°
10 - Angolo tubo sella	727	755	783	813	840	868
11 - Reach	375	382	389	395	402	409
12 - Stack	526	548	570	592	614	636
13 - Lunghezza forcella	390	390	390	390	390	390

Altezza (cm)	Altezza (in)	Taglia
155-166	61.1"-65.4"	XS
167-172	65.7"-67.7"	S
173-179	68.1"-70.5"	M
180-185	70.9"-72.8"	L
186-191	73.2"-75.2"	XL
192-207	75.6"-81.5"	XXL




MyO  
CM



Ivory White-Spicy Lime  
(Gloss)  
DI



Cosmic Carbon View-Metallic  
Olive Green (Gloss)  
DJ



# TERRA M21eTEAM 1X

Ref. R151

	Pedivella	Attacco	Manubrio
XS	170	70	400
S	170	80	400
M	170	90	400
L	172	90	420
XL	172	100	420
XXL	175	110	440

## PRICES

€	\$	£
5.999 €	\$ 6,299	£ 6,499

<b>Telaio</b>	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12x142mm rear, thread M12x2 P1, Internal Cable Routing, LOCKR service box
<b>Forcella</b>	Orbea Terra ICR, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
<b>Guarnitura</b>	SRAM Force Dub Wide 40t
<b>Serie sterzo</b>	FSA 1-1/2" Integrated Aluminium Cup
<b>Manubrio</b>	Easton EC90 AX Carbon, flare 16°, Di2 internal routing
<i>Op.</i>	OC Road Performance RP10-R Carbon, Rise 15, Reach 70, Drop125 OC Road Performance RP11 Carbon, Reach 80, Drop125, w/Di2 hole
<b>Nastro per manubrio</b>	Orbea Anti-Slippery/Shock Proof
<b>Attacco</b>	OC Road Performance RP10, -8°



<b>Leve</b>	SRAM Force AXS
<b>Freni</b>	SRAM Force AXS
<b>Cambio</b>	SRAM Force XPLR AXS 12s
<b>Catena</b>	SRAM Force 12-Speed
<b>Ruote</b>	Oquo Road Control RC25TEAM, carbon Mini Hook rim, Zipp ZR1 hub, 25mm internal width, Sapim CX-Sprint spokes, 700C
<i>Op.</i>	OQUO Road Performance RP35 TEAM Carbon OQUO Road Performance RP45 TEAM Carbon
<b>Pignoni</b>	SRAM XG-1271 XPLR 10-44t 12-Speed
<b>Bloqueo Posteriore</b>	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
<b>Bloqueo anteriore</b>	Orbea Thru Axle 12x100mm M12x2 P1 Solid
<b>Pneumatico</b>	Pirelli Cinturato™ Gravel H 700x40c TLR

<i>Op.</i>	Vittoria Corsa Next 622-28C Pirelli P ZERO™ Race TLR 700x30c Pirelli Cinturato™ Velo 700x35c TLR
<b>Reggisella</b>	OC Performance XP10 Carbon, 27.2mm, Setback 0
<i>Op.</i>	OC Performance XP10-S Carbon, Setback 20
<b>Sella</b>	Prologo Akero AGX STN size 155mm Prologo Scratch-M5 Pas T2.0 size 140mm Fizik Vento Antares R7 Alloy Rail 140mm
<i>Op.</i>	Fizik Vento Antares R3 Kium Rail 140mm Fizik Vento Antares R1 Carbon Rail 140mm
<b>Batteria</b>	SRAM Powerpack
<b>porta attrezzi</b>	Accessories Containers

# TERRA M22TEAM 1X

Ref. R152

	Pedivella	Attacco	Manubrio
XS	170	70	400
S	170	80	400
M	170	90	400
L	172	90	420
XL	172	100	420
XXL	175	110	440

## PRICES

€	\$	£
5.399 €	\$ 5,599	£ 5,799

<b>Telaio</b>	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12x142mm rear, thread M12x2 P1, Internal Cable Routing, LOCKR service box
<b>Forcella</b>	Orbea Terra ICR, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
<b>Guarnitura</b>	Campagnolo Ekar 40t
<b>Serie sterzo</b>	FSA 1-1/2" Integrated Aluminium Cup
<b>Manubrio</b>	Easton EC90 AX Carbon, flare 16°, Di2 internal routing
<i>Op.</i>	OC Road Performance RP10-R Carbon, Rise 15, Reach 70, Drop125 OC Road Performance RP11 Carbon, Reach 80, Drop125, w/Di2 hole
<b>Nastro per manubrio</b>	Orbea Anti-Slippery/Shock Proof



<b>Attacco</b>	OC Road Performance RP10, -8°
<b>Leve</b>	Campagnolo Ekar Ergopower
<b>Freni</b>	Campagnolo Ekar
<b>Cambio</b>	Campagnolo Ekar
<b>Catena</b>	Campagnolo Ekar C-link
<b>Ruote</b>	Oquo Road Control RC25TEAM, carbon Mini Hook rim, Zipp ZR1 hub, 25mm internal width, Sapim CX-Sprint spokes, 700C
<b>Pignoni</b>	Campagnolo Ekar 10-44 13-Speed
<b>Bloqueo Posteriore</b>	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
<b>Bloqueo anteriore</b>	Orbea Thru Axle 12x100mm M12x2 P1 Solid
<b>Pneumatico</b>	Pirelli Cinturato™ Gravel H 700x40c TLR

<i>Op.</i>	Vittoria Corsa Next 622-28C Pirelli P ZERO™ Race TLR 700x30c Pirelli Cinturato™ Velo 700x35c TLR
<b>Reggisella</b>	OC Performance XP10 Carbon, 27.2mm, Setback 0
<i>Op.</i>	OC Performance XP10-S Carbon, Setback 20
<b>Sella</b>	Prologo Akero AGX STN size 155mm Prologo Scratch-M5 Pas T2.0 size 140mm Fizik Vento Antares R7 Alloy Rail 140mm
<i>Op.</i>	Fizik Vento Antares R3 Kium Rail 140mm Fizik Vento Antares R1 Carbon Rail 140mm
<b>porta attrezzi</b>	Accessories Containers

## TERRA M31eTEAM 1X

Ref.	R149		
	<b>Pedivella</b>	<b>Attacco</b>	<b>Manubrio</b>
XS	170	70	380
S	170	80	400
M	170	90	400
L	172	90	420
XL	172	100	420
XXL	175	110	440

### PRICES

<b>€</b>	<b>\$</b>	<b>£</b>
3.999 €	\$ 4,399	£ 3,999

<b>Telaio</b>	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12x142mm rear, thread M12x2 P1, Internal Cable Routing, LOCKR service box
<b>Forcella</b>	Orbea Terra ICR, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
<b>Guarnitura</b>	SRAM Rival 1 Dub Wide 40t
<b>Serie sterzo</b>	FSA 1-1/2" Integrated Aluminium Cup
<b>Manubrio</b>	OC Gravel GR31, Reach 70, Drop 110
	<i>OC Road Performance RP31, Reach 80, Drop 125</i>
	<i>OC Road Performance RP31-R Riser, Rise 15, Reach 70, Drop 12</i>
	<i>OC Road Performance RP10-R Carbon, Rise 15, Reach 70, Drop 125</i>
Op.	<i>OC Road Performance RP11 Carbon, Reach 80, Drop 125, w/Di2 hole</i>
	<i>OC Gravel GR31-R, Rise 15, Reach 70, Drop 110</i>
	<i>Easton EC90 AX Carbon, flare 16°, Di2 internal routing</i>



<b>Nastro per manubrio</b>	Orbea Anti-Slippery/Shock Proof
<b>Attacco</b>	OC Road Performance RP10, -8°
<b>Leve</b>	SRAM Rival eTap AXS
<b>Freni</b>	SRAM Rival eTap AXS
<b>Cambio</b>	SRAM Rival XPLR eTAP AXS
<b>Catena</b>	SRAM Rival 12-Speed
<b>Ruote</b>	Oquo Road Control RC25PRO, alloy rim, Zipp ZR1 hub, 25mm internal width, Sapim Sprint Oxi spokes, 700C
	<i>OQUO Road Control RC25 TEAM Carbon</i>
Op.	<i>OQUO Road Performance RP35 TEAM Carbon</i>
	<i>OQUO Road Performance RP45 TEAM Carbon</i>
<b>Pignoni</b>	SRAM XG-1251 XPLR 10-44t 12-Speed
<b>Bloqueo Posteriore</b>	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
<b>Bloqueo anteriore</b>	Orbea Thru Axle 12x100mm M12x2 P1 Solid

<b>Pneumatico</b>	Vittoria Terreno Dry CX-Gravel G2.0 TNT 700x38c
	<i>Vittoria Corsa Next 622-28C</i>
Op.	<i>Pirelli P ZERO™ Race TLR 700x30c</i>
	<i>Pirelli Cinturato™ Velo 700x35c TLR</i>
<b>Reggisella</b>	OC Performance XP10 Carbon, 27.2mm, Setback 0
Op.	<i>OC Performance XP10-S Carbon, Setback 20</i>
<b>Sella</b>	Prologo Akero AGX STN size 155mm
	<i>Prologo Scratch-M5 Pas T2.0 size 140mm</i>
	<i>Fizik Vento Antares R7 Alloy Rail 140mm</i>
Op.	<i>Fizik Vento Antares R3 Kium Rail 140mm</i>
	<i>Fizik Vento Antares R1 Carbon Rail 140mm</i>
<b>Batteria</b>	SRAM Powerpack
<b>porta attrezzi</b>	Accessories Containers

## TERRA M20TEAM

Ref.	R148		
	<b>Pedivella</b>	<b>Attacco</b>	<b>Manubrio</b>
XS	170	70	380
S	170	80	400
M	170	90	400
L	172	90	420
XL	172	100	420
XXL	175	110	440

### PRICES

<b>€</b>	<b>\$</b>	<b>£</b>
3.699 €	\$ 3,999	£ 3,799

<b>Telaio</b>	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12x142mm rear, thread M12x2 P1, Internal Cable Routing, LOCKR service box
<b>Forcella</b>	Orbea Terra ICR, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
<b>Guarnitura</b>	Shimano GRX RX820 31x48t
<b>Serie sterzo</b>	FSA 1-1/2" Integrated Aluminium Cup
<b>Manubrio</b>	OC Gravel GR31, Reach 70, Drop 110
	<i>OC Road Performance RP31, Reach 80, Drop 125</i>
	<i>OC Road Performance RP31-R Riser, Rise 15, Reach 70, Drop 12</i>
	<i>OC Road Performance RP10-R Carbon, Rise 15, Reach 70, Drop 125</i>
Op.	<i>OC Road Performance RP11 Carbon, Reach 80, Drop 125, w/Di2 hole</i>
	<i>OC Gravel GR31-R, Rise 15, Reach 70, Drop 110</i>
	<i>Easton EC90 AX Carbon, flare 16°, Di2 internal routing</i>



<b>Nastro per manubrio</b>	Orbea Anti-Slippery/Shock Proof
<b>Attacco</b>	OC Road Performance RP10, -8°
<b>Leve</b>	Shimano GRX RX820
<b>Freni</b>	Shimano RX820 Hydraulic disc
<b>Cambio</b>	Shimano GRX RX820
<b>Deragliatore</b>	Shimano GRX RX820
<b>Catena</b>	Shimano M7100
<b>Ruote</b>	Orbea Alloy 25c Tubeless Ready
	<i>OQUO Road Control RC25 PRO</i>
	<i>OQUO Road Control RC25 TEAM Carbon</i>
Op.	<i>OQUO Road Performance RP35 TEAM Carbon</i>
	<i>OQUO Road Performance RP45 TEAM Carbon</i>
<b>Pignoni</b>	Shimano 105 R7100 11-34t 12-Speed
Op.	<i>Shimano HG710 11-36t 12-Speed</i>
<b>Bloqueo Posteriore</b>	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded

<b>Bloqueo anteriore</b>	Orbea Thru Axle 12x100mm M12x2 P1 Solid
<b>Pneumatico</b>	Vittoria Terreno Dry CX-Gravel G2.0 TNT 700x38c
	<i>Vittoria Corsa Next 622-28C</i>
Op.	<i>Pirelli P ZERO™ Race TLR 700x30c</i>
	<i>Pirelli Cinturato™ Velo 700x35c TLR</i>
<b>Reggisella</b>	OC Performance XP10 Carbon, 27.2mm, Setback 0
Op.	<i>OC Performance XP10-S Carbon, Setback 20</i>
<b>Sella</b>	Prologo Akero AGX STN size 155mm
	<i>Prologo Scratch-M5 Pas T2.0 size 140mm</i>
	<i>Fizik Vento Antares R7 Alloy Rail 140mm</i>
Op.	<i>Fizik Vento Antares R3 Kium Rail 140mm</i>
	<i>Fizik Vento Antares R1 Carbon Rail 140mm</i>
<b>porta attrezzi</b>	Accessories Containers



# TERRA M41eTEAM 1X

Ref. R147

	Pedivella	Attacco	Manubrio
XS	170	70	380
S	170	80	400
M	170	90	400
L	172	90	420
XL	172	100	420
XXL	175	110	440

## PRICES

€	\$	£
3.599 €	\$ 3,899	£ 3,899

<b>Telaio</b>	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12x142mm rear, thread M12x2 P1, Internal Cable Routing, LOCKR service box
<b>Forcella</b>	Orbea Terra ICR, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
<b>Guarnitura</b>	SRAM Apex 1 DM Dub Wide 40t Aluminium
<b>Serie sterzo</b>	FSA 1-1/2" Integrated Aluminium Cup
<b>Manubrio</b>	OC Gravel GR31, Reach 70, Drop 110 <i>OC Road Performance RP31, Reach 80, Drop 125</i> <i>OC Road Performance RP31-R Riser, Rise 15, Reach 70, Drop 12</i> <i>OC Road Performance RP10-R Carbon, Rise 15, Reach 70, Drop125</i>
<i>Op.</i>	<i>OC Road Performance RP11 Carbon, Reach 80, Drop125, w/Di2 hole</i> <i>OC Gravel GR31-R, Rise 15, Reach 70, Drop 110</i> <i>Easton EC90 AX Carbon, flare 16°, Di2 internal routing</i>



<b>Nastro per manubrio</b>	Orbea Anti-Slippery/Shock Proof
<b>Attacco</b>	OC Road Performance RP21, -6°
<b>Leve</b>	SRAM Apex AXS
<b>Freni</b>	SRAM Apex AXS
<b>Cambio</b>	SRAM Apex XPLR AXS 12s
<b>Catena</b>	SRAM Apex 12-Speed
<b>Ruote</b>	Oquo Road Control RC25PRO, alloy rim, Zipp ZR1 hub, 25mm internal width, Sapim Sprint Oxi spokes, 700C <i>OQUO Road Control RC25 TEAM Carbon</i> <i>Op. OQUO Road Performance RP35 TEAM Carbon</i> <i>OQUO Road Performance RP45 TEAM Carbon</i>
<b>Pignoni</b>	SRAM PG-1231 XPLR 11-44t 12-Speed
<b>Bloqueo Posteriore</b>	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
<b>Bloqueo anteriore</b>	Orbea Thru Axle 12x100mm M12x2 P1 Solid

<b>Pneumatico</b>	Vittoria Terreno Dry CX-Gravel G2.0 TNT 700x38c <i>Vittoria Corsa Next 622-28C</i>
<i>Op.</i>	<i>Pirelli P ZERO™ Race TLR 700x30c</i> <i>Pirelli Cinturato™ Velo 700x35c TLR</i>
<b>Reggisella</b>	Carbon, 27.2mm, Setback 20 <i>OC Performance XP10-S Carbon, Setback 20</i> <i>Op. OC Performance XP10 Carbon, Setback 0</i>
<b>Sella</b>	Prologo Akero AGX STN size 155mm <i>Prologo Scratch-M5 Pas T2.0 size 140mm</i> <i>Op. Fizik Vento Antares R7 Alloy Rail 140mm</i> <i>Fizik Vento Antares R3 Kium Rail 140mm</i> <i>Fizik Vento Antares R1 Carbon Rail 140mm</i>
<b>Batteria</b>	SRAM Powerpack
<b>porta attrezzi</b>	Accessories Containers

# TERRA M30TEAM

Ref. R146

	Pedivella	Attacco	Manubrio
XS	170	70	380
S	170	80	400
M	170	90	400
L	172	90	420
XL	172	100	420
XXL	175	110	440

## PRICES

€	\$	£
3.199 €	\$ 3,599	£ 3,499

<b>Telaio</b>	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12x142mm rear, thread M12x2 P1, Internal Cable Routing, LOCKR service box
<b>Forcella</b>	Orbea Terra ICR, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
<b>Guarnitura</b>	Shimano GRX RX610 30x46t
<b>Serie sterzo</b>	FSA 1-1/2" Integrated Aluminium Cup
<b>Manubrio</b>	OC Gravel GR31, Reach 70, Drop 110 <i>OC Road Performance RP31, Reach 80, Drop 125</i> <i>OC Road Performance RP31-R Riser, Rise 15, Reach 70, Drop 12</i> <i>OC Road Performance RP10-R Carbon, Rise 15, Reach 70, Drop125</i>
<i>Op.</i>	<i>OC Road Performance RP11 Carbon, Reach 80, Drop125, w/Di2 hole</i> <i>OC Gravel GR31-R, Rise 15, Reach 70, Drop 110</i> <i>Easton EC90 AX Carbon, flare 16°, Di2 internal routing</i>




<b>Nastro per manubrio</b>	Orbea Anti-Slippery/Shock Proof
<b>Attacco</b>	OC Road Performance RP21, -6°
<b>Leve</b>	Shimano GRX RX610
<b>Freni</b>	Shimano RX400 Hydraulic disc
<b>Cambio</b>	Shimano GRX RX820
<b>Deragliatore</b>	Shimano GRX RX820
<b>Catena</b>	Shimano M6100
<b>Ruote</b>	Orbea Alloy 25c Tubeless Ready <i>OQUO Road Control RC25 PRO</i> <i>OQUO Road Control RC25 TEAM Carbon</i> <i>Op. OQUO Road Performance RP35 TEAM Carbon</i> <i>OQUO Road Performance RP45 TEAM Carbon</i>
<b>Pignoni</b>	Shimano HG710 11-36t 12-Speed <i>Op. Shimano 105 R7100 11-34t 12-Speed</i>
<b>Bloqueo Posteriore</b>	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded


<b>Bloqueo anteriore</b>	Orbea Thru Axle 12x100mm M12x2 P1 Solid
<b>Pneumatico</b>	Vittoria Terreno Dry CX-Gravel G2.0 TNT 700x38c <i>Vittoria Corsa Next 622-28C</i>
<i>Op.</i>	<i>Pirelli P ZERO™ Race TLR 700x30c</i> <i>Pirelli Cinturato™ Velo 700x35c TLR</i>
<b>Reggisella</b>	Carbon, 27.2mm, Setback 20 <i>OC Performance XP10-S Carbon, Setback 20</i> <i>Op. OC Performance XP10 Carbon, Setback 0</i>
<b>Sella</b>	Prologo Akero AGX STN size 155mm <i>Prologo Scratch-M5 Pas T2.0 size 140mm</i> <i>Op. Fizik Vento Antares R7 Alloy Rail 140mm</i> <i>Fizik Vento Antares R3 Kium Rail 140mm</i> <i>Fizik Vento Antares R1 Carbon Rail 140mm</i>
<b>porta attrezzi</b>	Accessories Containers


# TERRA HYDRO

Taglia	XS	S	M	L	XL	XXL
1 - Lunghezza tubo sella (C-T)	425	458	491	524	557	590
2 - Lunghezza tubo orizzontale (EFF)	526	539	558	570	590	603
3 - Lunghezza tubo sterzo	110	131	152	178	199	220
4 - Lunghezza carro posteriore	430	430	430	430	430	430
5 - Lunghezza carro posteriore	263 / 278	263 / 278	263 / 278	265 / 280	265 / 280	265 / 280
6 - Drop movimento centrale	78	78	78	76	76	76
7 - Interasse	1020	1030	1039	1054	1063	1072
8 - Angolo Sterzo	70°	70,5°	71°	71°	71,5°	72°
9 - Angolo tubo sella	74°	74°	73,5°	73,5°	73°	73°
10 - Angolo tubo sella	704 / 718	731 / 746	759 / 773	788 / 803	815 / 830	838 / 853
11 - Reach	375	382	389	395	402	409
12 - Stack	526	548	570	592	614	636
13 - Lunghezza forcella	390	390	390	390	390	390
15 - Trail	66 / 71	62 / 68	59 / 64	59 / 64	56 / 61	53 / 58


Altezza (cm)	Altezza (in)	Taglia
155-166	61.1"-65.4"	XS
167-172	65.7"-67.7"	S
173-179	68.1"-70.5"	M
180-185	70.9"-72.8"	L
186-191	73.2"-75.2"	XL
192-207	75.6"-81.5"	XXL

- 

Artichoke (Matt) - Lilac (Matt)  
DF
- 

Blue Stone (Gloss) - Copper (Matt)  
DH
- 

Infinity Green-Ivory White (Gloss)  
DG



## TERRA H41 1X

Ref. R142

	Pedivella	Attacco	Manubrio
XS	170	80	380
S	170	90	400
M	170	100	400
L	172	100	420
XL	172	110	420
XXL	175	110	440

### PRICES

€	\$	£
2.499 €	\$ 2,899	£ 2,699

<b>Telaio</b>	Orbea Terra Hydro disc, hydroformed triple butted aluminium, HS 1,5", PF, Thru Axle 12mm x 142mm rear, thread M12x2 P1, DT internal cable routing, 27,2mm seat tube, MMS system
<b>Forcella</b>	Orbea Terra ICR, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
<b>Guarnitura</b>	SRAM Apex 1 DM Dub Wide 40t Steel
<b>Serie sterzo</b>	FSA 1-1/2" Integrated Aluminium Cup
<b>Manubrio</b>	OC Gravel GR31-R, Rise 15, Reach 70, Drop 110
<i>Op.</i>	OC Road Performance RP31, Reach 80, Drop 125 OC Road Performance RP31-R Riser, Rise 15, Reach 70, Drop 12 OC Gravel GR31, Reach 70, Drop 110



<b>Nastro per manubrio</b>	Orbea Eva
<b>Attacco</b>	OC Road Performance RP21, -6°
<b>Leve</b>	SRAM Apex
<b>Freni</b>	SRAM Apex Hydraulic
<b>Cambio</b>	SRAM Apex XPLR 12s
<b>Catena</b>	SRAM Apex 12-Speed
<b>Ruote</b>	Orbea Alloy 25c Tubeless Ready
<i>Op.</i>	OQUO Road Control RC25 PRO
<b>Pignoni</b>	SRAM PG-1231 XPLR 11-44t 12-Speed
<b>Bloqueo Posteriore</b>	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
<b>Bloqueo anteriore</b>	Orbea Thru Axle 12x100mm M12x2 P1 Solid

<b>Pneumatico</b>	Vittoria Terreno Dry CX-Gravel G2.0 TNT 700x38c
<i>Op.</i>	Vittoria Corsa Next 622-28C Pirelli P ZERO™ Race TLR 700x30c Pirelli Cinturato™ Velo 700x35c TLR
<b>Reggisella</b>	Carbon, 27,2mm, Setback 20
<b>Sella</b>	Prologo Akero AGX STN size 155mm

## TERRA H30

Ref. R143

	Pedivella	Attacco	Manubrio
XS	170	70	380
S	170	80	400
M	170	90	400
L	172	90	420
XL	172	100	420
XXL	175	110	440

### PRICES

€	\$	£
2.399 €	\$ 2,799	£ 2,499

<b>Telaio</b>	Orbea Terra Hydro disc, hydroformed triple butted aluminium, HS 1,5", PF, Thru Axle 12mm x 142mm rear, thread M12x2 P1, DT internal cable routing, 27,2mm seat tube, MMS system
<b>Forcella</b>	Orbea Terra ICR, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
<b>Guarnitura</b>	Shimano GRX RX610 30x46t
<b>Serie sterzo</b>	FSA 1-1/2" Integrated Aluminium Cup
<b>Manubrio</b>	OC Gravel GR31-R, Rise 15, Reach 70, Drop 110
<i>Op.</i>	OC Road Performance RP31, Reach 80, Drop 125 OC Road Performance RP31-R Riser, Rise 15, Reach 70, Drop 12 OC Gravel GR31, Reach 70, Drop 110



<b>Nastro per manubrio</b>	Orbea Eva
<b>Attacco</b>	OC Road Performance RP21, -6°
<b>Leve</b>	Shimano GRX RX610
<b>Freni</b>	Shimano RX400 Hydraulic disc
<b>Cambio</b>	Shimano GRX RX820
<b>Deragliatore</b>	Shimano GRX RX820
<b>Catena</b>	Shimano M6100
<b>Ruote</b>	Orbea Alloy 25c Tubeless Ready
<i>Op.</i>	OQUO Road Control RC25 PRO
<b>Pignoni</b>	Shimano HG710 11-36t 12-Speed
<b>Bloqueo Posteriore</b>	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
<b>Bloqueo anteriore</b>	Orbea Thru Axle 12x100mm M12x2 P1 Solid

<b>Pneumatico</b>	Vittoria Terreno Dry Gravel 700x38c
<i>Op.</i>	Vittoria Corsa Next 622-28C Pirelli P ZERO™ Race TLR 700x30c Pirelli Cinturato™ Velo 700x35c TLR
<b>Reggisella</b>	Carbon, 27,2mm, Setback 20
<b>Sella</b>	Prologo Akero AGX STN size 155mm

# TERRA H40

Ref. R141

	Pedivella	Attacco	Manubrio
XS	170	70	380
S	170	80	400
M	170	90	400
L	172	90	420
XL	172	100	420
XXL	175	110	440

## PRICES

€	\$	£
2.099 €	\$ 2,499	£ 2,199



<b>Telaio</b>	Orbea Terra Hydro disc, hydroformed triple butted aluminium, HS 1,5", PF, Thru Axle 12mm x 142mm rear, thread M12x2 P1, DT internal cable routing, 27,2mm seat tube, MMS system
<b>Forcella</b>	Orbea Terra ICR, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
<b>Guarnitura</b>	Shimano GRX RX600-10 30x46t
<b>Serie sterzo</b>	FSA 1-1/2" Integrated Aluminium Cup
<b>Manubrio</b>	OC Gravel GR31-R, Rise 15, Reach 70, Drop 110
<i>Op.</i>	OC Road Performance RP31, Reach 80, Drop 125 OC Road Performance RP31-R Riser, Rise 15, Reach 70, Drop 12 OC Gravel GR31, Reach 70, Drop 110

<b>Nastro per manubrio</b>	Orbea Eva
<b>Attacco</b>	OC Road Performance RP21, -6°
<b>Leve</b>	Shimano ST-RX400
<b>Freni</b>	Shimano RX400 Hydraulic Disc
<b>Cambio</b>	Shimano RD-RX400
<b>Deragliatore</b>	Shimano GRX RX400
<b>Catena</b>	KMC X10
<b>Ruote</b>	Orbea Alloy 25c Tubeless Ready
<i>Op.</i>	OQUO Road Control RC25 PRO
<b>Pignoni</b>	Shimano Tiagra HG-500 11-34t 10-Speed
<b>Bloqueo Posteriore</b>	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded

<b>Bloqueo anteriore</b>	Orbea Thru Axle 12x100mm M12x2 P1 Solid
<b>Pneumatico</b>	Vittoria Terreno Dry Gravel 700x38c <i>Vittoria Corsa Next 622-28C</i>
<i>Op.</i>	<i>Pirelli P ZERO™ Race TLR 700x30c</i> <i>Pirelli Cinturato™ Velo 700x35c TLR</i>
<b>Reggisella</b>	Carbon, 27.2mm, Setback 20
<b>Sella</b>	Prologo Akero AGX STN size 155mm





**ORBEA**